

SAFETY DATA SHEET**STOVE CLEANER****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product name STOVE CLEANER

Product number 424

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Manual Utensil and Surface cleaning detergent

1.3. Details of the supplier of the safety data sheet

Supplier M Scheldt
RPM Marketing (Sussex)
PO Box 1
BEXHILL ON SEA
East Sussex
TN39 3ZQ

01424 224620
01424 863984
info@tableauproducts.com

1.4. Emergency telephone number 01424 575131 Ext 5 Office Hours (Mon- Fri 9am-5pm) only**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification****Physical hazards**

Not Classified

Health hazards

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Xi;R36/38.

2.2. Label elements**Pictogram****Signal word** Warning**Hazard statements**H315 Causes skin irritation.
H319 Causes serious eye irritation.**Precautionary statements**

STOVE CLEANER

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

DODECYLBENZENE SULPHONIC ACID 1-5% CAS number: 27176-87-0 EC number: —	
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) Xn;R22. C;R34.
DI SODIUM TRIOXOSILICATE 1-5% CAS number: 6834-92-0 EC number: 229-912-9	
Classification Skin Corr. 1B - H314 STOT SE 3 - H335	Classification (67/548/EEC or 1999/45/EC) C;R34. Xi;R37.
2-(2 BUTOXY ETHOXYETHANOL) 1-5% CAS number: 112-34-5 EC number: 203-961-6	
Classification Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi;R36.
LONGCHAIN ALCOHOL ETHOXYLATE 1-5% CAS number: — EC number: —	
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.
SODIUM HYDROXIDE <1% CAS number: 1310-73-2 EC number: 215-185-5	
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314	Classification (67/548/EEC or 1999/45/EC) C;R35

STOVE CLEANER

TETRASODIUM, ETHYLENEDIAMINETETRAACETATE <1%	
CAS number: — EC number: 200-573-9	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H332	Xn;R20/22. Xi;R38,R41.
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Due to the small packaging, the risk of inhalation is minimal.

Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

Skin contact

Remove affected person from source of contamination. Rinse immediately with plenty of water. Get medical attention if any discomfort continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Unlikely to occur

Ingestion

May cause stomach pain or vomiting.

Skin contact

Prolonged contact may cause redness, irritation and dry skin.

Eye contact

Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during firefighting

No specific firefighting precautions known.

STOVE CLEANER

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep only in the original container.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

2-(2 BUTOXY ETHOXYETHANOL)

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments

OES = Occupational Exposure Standard.

TETRASODIUM, ETHYLENEDIAMINETETRAACETATE

DNEL	Industry - Inhalation; Long term systemic effects: 2.5 mg/m ³ Industry - Dermal; Long term systemic effects: 1.5 mg/m ³ Industry - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	Industry - (diethyl ether = 1); Long term 2.2 mg/l Industry - Marine water; Long term 0.22 mg/l Industry - Intermittent release; Long term 1.2 mg/l Industry - STP; Long term 43 mg/l Industry - Soil; Long term 0.72 mg/l

8.2. Exposure controls

Protective equipment

STOVE CLEANER



Eye/face protection

Wear chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Clear liquid.

Colour

Pale Straw to Amber

Odour

No characteristic odour.

Relative density

1.050 - 1.070 @ @ 20 C°C

Solubility(ies)

Miscible with water.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Avoid heat. Avoid contact with the following materials: Strong oxidising agents.

10.5. Incompatible materials

Materials to avoid

Acids.

10.6. Hazardous decomposition products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects

STOVE CLEANER

No information available.

Acute toxicity - oral

ATE oral (mg/kg)

3,746.81873881

Inhalation

No significant hazard at normal ambient temperatures. Heating may generate the following products: Irritating gases or vapours.

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged and frequent contact may cause redness and irritation.

Eye contact

Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

SECTION 12: Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

No information available

12.2. Persistence and degradability

Persistence and degradability

The product contains mainly inorganic substances which are not biodegradable. The other substances in the product are expected to be readily biodegradable.

12.3. Bioaccumulative potential

Not expected to bioaccumulate

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General Not hazardous for road transport

14.1. UN number

UN No. (IMDG)

UN No. (ICAO)

14.2. UN proper shipping name

Proper shipping name
(ADR/RID)

Proper shipping name
(IMDG)

STOVE CLEANER

Proper shipping name
(ICAO)

Proper shipping name (ADN)

14.3. Transport hazard class(es)

ADR/RID class

ADR/RID label

IMDG class

ICAO class/division

Transport labels

14.4. Packing group

ADR/RID packing group

IMDG packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Emergency Action Code

Hazard Identification Number
(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

General information

This information is given in good faith and is based upon current available data. The suitability of this product for any particular use is not suggested. The user must determine if the product is correct for any particular application. This document is not a specification. Conforms to 1907/2006/EC

Revision date 14/04/2015

Revision 01

SDS number 424MX

Risk phrases in full

STOVE CLEANER

R20/22 Harmful by inhalation and if swallowed.
R22 Harmful if swallowed.
R34 Causes burns.
R35 Causes severe burns.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.

Hazard statements in full

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.